


EN Flat Bars

Dimensions, Masses and Tolerances in accordance with EN 10058 except sizes marked with * which are in accordance with SULB Standard. Surface Condition in accordance with EN 10163-3, class C, subclass 1.




EN Flat Bars

Bahrain Rolling Mill •
Saudi Arabia Rolling Mill •
Subject to mill confirmation †

	Width	Thickness, t in mm													
	b	5†	6	7 *	8	10	12	14 *	15	16 *	18 *	20	25	30	
	mm	Mass in kg/m													
	60 †	2.36†	2.83	3.30*	3.77	4.71	5.65	6.59*	7.07	7.54*	8.48*	9.42	11.8		•
	65 *†	2.55*†	3.06*	3.57*	4.08*	5.10*	6.12*	7.14*	7.65*	8.16*	9.18*	10.2*	12.8*		•
	70 †	2.75†	3.30	3.85*	4.40	5.50	6.59	7.69*	8.24	8.79*	9.89*	11.0	13.7		•
	75 * †	2.94*†	3.53*	4.12*	4.71*	5.89*	7.07*	8.25*	8.83*	9.42*	10.6*	11.8*	14.7*		•
	80 †	3.14†	3.77	4.40*	5.02	6.28	7.54	8.79*	9.42	10.0*	11.3*	12.6	15.7		•
	90 †	3.53†	4.24	4.95*	5.65	7.07	8.48	9.89*	10.6	11.3*	12.7*	14.1	17.7		•
	100	3.93†	4.71	5.50*	6.28	7.85	9.42	11.0*	11.8	12.6*	14.1*	15.7	19.6		•
	110 *	4.32*†	5.18*	6.05*	6.91*	8.64*	10.4*	12.1*	13.0*	13.8*	15.5*	17.3*	21.6*		•
	120	4.71*†	5.65	6.60*	7.54	9.42	11.3	13.2*	14.1	15.1*	17.0*	18.8	23.6		•
	125 *	4.91*†	5.89*	6.87*	7.85*	9.81*	11.8*	13.7*	14.7*	15.7*	17.6*	19.6*	24.5*		•
	130	5.10*†	6.12*	7.14*	8.16	10.2	12.3	14.3*	15.3	16.3*	18.4*	20.4	25.5		•
	135	5.30*†	6.35*	7.42*	8.48*	10.6*	12.7*	14.8*	15.9*	17.0*	19.1*	21.2*	26.5*		•
	140	5.50*†	6.59*	7.69*	8.79	11.0	13.2	15.4*	16.5	17.6*	19.8*	22.0	27.5		•
	150	5.89*†	7.06	8.24*	9.42	11.8	14.1	16.5*	17.7	18.8*	21.2*	23.6	29.4		•
	160	6.30*†	7.57*	8.83*	10.1	12.6	15.1	17.6*	18.8	20.1*	22.6*	25.1	31.4		•
	170	6.68*†	8.01*	9.36*	10.7	13.3	16.0	18.7*	20.0	21.4*	24.0*	26.7	33.4		•
	175 *	6.87*†	8.24*	9.62*	11.0*	13.7*	16.5*	19.2*	20.6*	22.0*	24.7*	27.5*	34.3*		•
	180		8.48*	9.89*	11.3	14.1	17.0	19.8*	21.2	22.6*	25.4*	28.3	35.3		•
vvide riats	200		9.42*	11.0*	12.6	15.7	18.8	22.0*	23.6	25.1*	28.3*	31.4	39.4	47.1*	•
	220 *				13.8*	17.3*	20.7*	24.2*	25.9*	27.6*	31.1*	34.5*	43.2*	51.8*	•
	225 *				14.1*	17.7*	21.2*	24.7*	26.5*	28.3*	31.8*	35.3*	44.2*	53.0*	•
	250 *				15.7*	19.6*	23.6*	27.5*	29.4*	31.4*	35.3*	39.3*	49.1*	58.9*	•
	275 *					21.6*	25.9*	30.2*	32.4*	34.5*	38.9*	43.2*	54.0*	64.8*	•
	300 *					23.6*	28.3*	33.0*	35.3*	37.7*	42.4*	47.1*	58.9*	70.7*	•

IS Flat Bars

Dimensions and Mass in accordance with IS 1730. Tolerances in accordance with IS 1989 Surface Condition in accordance with EN 10163-3, class C, subclass 1.






IS Flat Bars

Bahrain Rolling Mill Saudi Arabia Rolling Mill

											-
we do	Thickness, t in mm										
Width b	5	6	8	10	12	15	20	25	30		
mm					Mass in kg	/m					
100	3.93	4.71	6.28	7.85	9.42	11.8	15.7	19.6	23.6	•	
120	_	5.65	7.54	9.42	11.3	14.1	18.8	23.6	28.3	•	
130		6.12	8.16 8.79	10.2	12.2	15.3 16.5	20.4	25.6 27.5	30.6	•	
150		7.07	9.42	11.8	14.1	17.7	23.6	29.4	35.3	•	
160			10.0	12.6	15.1	18.8	25.1	31.4	37.7	•	
180	_		11.3	14.1	17.0	21.2	28.3	35.3	42.4	•	
250				15.7 19.6	18.8	23.6	31.4	39.2 49.1	47.1 58.9	•	
300				1310	28.3	35.3	47.1	58.8	70.7	•	
							13.50	-2			

SULB Flat Bars





SULB Flat Bars

Bahrain Rolling Mill • Saudi Arabia Rolling Mill •





GENERAL ENQUIRIES

P.O. Box 50177 Hidd, Kingdom of Bahrain

- **** +973 17 352 406
- info@sulb.com
- www.sulb.com



BAHRAIN OFFICE

4 +973 17 352 415

■ sales@sulb.com.bh



SAUDI ARABIA OFFICE

4 +966 13 358 6666

■ sales@sulbsaudi.com.sa

UAE OFFICE

\(+971 4 5587 235/239

■ sales@sulb.com.bh

